

Index to Volume 11*

A

- Acid-base changes, in deep coma due to barbiturate or tri-cyclic antidepressant poisoning, 403-412
- Activated charcoal, effectiveness of in limiting gastrointestinal absorption of a chlorinated hydrocarbon pesticide, 61-70
- heparin adsorption on, 569-572
- "superactive" charcoal as antidote in poisonings, 387-390
- Ainsworth, III, C. A., 281-286
- Aircraft industries, human intoxication following inhalation exposure to synthetic jet lubricating oil, 423-426
- Alcoholism, peyote as potential ethnopharmacologic agent for, 459-472
- public schools to teach our youngsters how to drink, 473-478
- Aldrin, human tissue distribution of in Hawaii 1964-1973, 71-82
- Allen, M. D., 501-515
- Analytical methods. *See* Drug analysis
- Anders, M. W., 423-426
- Animal studies, benzene inhalation, health effects of, 531-548
- chlorinated hydrocarbon pesticides, effectiveness of activated charcoal, mineral oil, and castor oil in limiting gastrointestinal absorption of, 61-70
- chromium removal from organs of experimentally poisoned animals, 257-264
- fluoride accumulation in bone and the effect on their physical properties in guinea pigs given different levels of fluoridated water, 329-339
- lead poisoning in rats, influence of oral penicillamine and diet on, 221-235
- locoweed poisoning in sheep, electroencephalographic and brain amine changes in, 53-60
- papaverine, interaction with isoproterenol in the vascular system of the dog and intestinal smooth muscle of the rabbit, 427-435
- polychlorinated biphenyl, enhanced lesions by in Moloney leukemia virus-infected mice, 107-116
- toluene, toxicology of; review of

*This index contains the names of all contributors to Volume 11, 1977.

- [Animal studies]
 current literature, 549-559
 tricyclic antidepressant toxicity, potentiation of by physostigmine in mice, 413-421
- Antibiotics, lead poisoning in rats, influence of oral penicillamine on, 221-235
- Antidepressants, tricyclic. See Tricyclic antidepressants
- Antidotes, charcoal-sorbitol mixture as antidote for oral aspirin overdose, 561-567
 diluents after caustic ingestion, a rational look at, 27-34
 gastrointestinal absorption of a chlorinated hydrocarbon pesticide, effectiveness of activated charcoal, mineral oil, and castor oil in limiting absorption, 61-70
 "superactive" charcoal as, 387-390
- Antipsychotic drugs, morphine as, editorial, 383-386
- Aronow, R., 221-235
- Asbach, H. W., 211-219
- Aspirin overdose, charcoal-sorbitol mixture as antidote for, 561-567
- Atomic absorption spectrophotometry, blood lead analysis by, 237-243
- Automated analysis, fluorometric blood cyanide method, completely automated, 159-171
- B**
- Ballantyne, B., 173-193; 195-210
- Barbiturate poisoning, ventilation and acid-base changes in deep coma due to, 403-412
- Begley, J., 97-106
- Benzene inhalation, health effects of, 531-548
- Biggs, J. D., 281-286
- Blood, cyanide, automated fluorometric method for, 159-171
 cyanide, *in vitro* production of in normal human blood and the influence of thiocyanate and storage temperature on, 173-193
 lead analysis in, 237-243
 mercury concentration in in a patient with acute mercuric cyanide intoxication, 301-308
 whole blood thiocyanate, analysis, 195-210
- Blotter, P. T., 329-339
- Blum, K., 459-472
- Blumberg, J. B., 413-421
- Botulism, effect of guanidine, germin, and steroids on, 19-25
- Brain amine changes, in locoweed poisoning in sheep, 53-60
- Brandenberger, H., 301-308
- Brege, B., 221-235
- Bruckner, J. V., 549-559
- Budy, A. M., 71-82
- Burkett, C. D., 35-41
- Burrington, J. D., 27-34
- Byrd, G. J., 1-4
- C**
- Calculators, application of programmable calculator in reporting emergency toxicology data, 573-580
- Camphorated oil, confusion with castor oil, toxic results from, 151-158
- Carbamazepine, isothermal gas chromatographic method for rapid determination of as its MTS derivative, 443-454
- Castor oil, confusion with camphorated oil, toxic results from, 151-158
 effectiveness of in limiting gastrointestinal absorption of a

- [Castor oil]
chlorinated hydrocarbon pesticide, 61-70
- Caustic substances, diluents after ingestion of, a rational look at, 27-34
- Central nervous system, effects of chronic organophosphate pesticide exposure on, 83-95
toxicity by solvent inhalation, a review of psychological measures, 317-324
- Charcoal, effectiveness of activated charcoal in limiting gastrointestinal absorption of a chlorinated hydrocarbon pesticide, 61-70
heparin adsorption on activated charcoal, 569-572
"superactive" as antidote in poisonings, 387-390
- Charcoal hemoperfusion, in imipramine poisoning, comparison with lipid hemodialysis, 211-219
- Charcoal-sorbitol mixture, as antidote for oral aspirin overdose, 561-567
- Chelation, chromium removal from organs of experimentally poisoned animals, 257-264
- Chen, H. Y., 221-235
- Cherington, M., 19-25
- Children, poisoning, caustic ingestion, diluents after, 27-34
charcoal-sorbitol mixture as antidote for aspirin overdose, 561-567
gasoline sniffing, a review, 35-41
by pipazethate, 455-458
Poison Information Center, evaluation of effectiveness of, 581-586
reporting poisonings, an
- [Children, poisoning]
urgent need, 587-589
- Chlordane, human tissue distribution of in Hawaii 1964-1973, 71-82
- Chlorinated hydrocarbon pesticides, effectiveness of activated charcoal, mineral oil, and castor oil in limiting gastrointestinal absorption of, 61-70
- Chlorpropamide poisoning, cholestatic jaundice following, 13-17
- Cholestatic jaundice, following chlorpropamide poisoning, 13-17
- Chromatography, carbamazepine (Tegretol), rapid determination of as its TMS derivative by isothermal gas chromatography, 443-454
ketamine and its metabolites, identification of in biological fluids by gas chromatography-mass spectrometry, 265-275
propoxyphene, gas chromatographic post-mortem method for levels in blood and liver in propoxyphene-associated deaths, 43-51
street drug analysis by gas chromatography, 437-442
- Chromium, removal of from organs of experimentally poisoned animals, 257-264
- Codeine, actions and metabolism of after continuous intravenous infusion to humans, 517-529
- Coma, ventilation and acid-base changes in deep coma due to barbiturate or tricyclic antidepressant poisoning, 403-412
- Commoner, B., 479-482
- Comstock, B. S., 317-324
- Cooney, D. O., 387-390, 561-567
- Cucinell, S. A., 159-171
- Cyanide, in vitro production of in

[Cyanide]

- normal human blood, 173-193
- Cyanide poisoning, fluorometric blood cyanide method, completely automated, 159-171
- Cyclodiene pesticides, human tissue distribution of in Hawaii 1964-1973, 71-82

D

- da Silva, O. A., 455-458
- Diazinon poisoning, in eight members of related households, 5-11
- Dicamba, pharmacokinetic study of a patient intoxicated with 2,4-D and Dicamba, 489-500
- 2,4-Dichlorophenoxyacetic acid, pharmacokinetic study of a patient intoxicated with 2,4-D and Dicamba, 489-500
- Dieldrin, human tissue distribution of in Hawaii 1964-1973, 71-82
- Diet, influence of on lead poisoning in rats, 221-235
- Diethylstilbestrol, in food, editorial, 366-368
- Diluents, after caustic ingestion, a rational look at, 27-34
- Dioxin contamination, in Seveso, editorial, 479-482
- Diphenhydramine, and methaqualone, simultaneous identification and quantitation of, 245-255
- Dog studies, papaverine, interaction of with isoproterenol in vascular system of, 427-435
- Dotson, T. B., 61-70
- Drug abuse, gasoline sniffing, a review, 35-41
- Poison Information Center, evaluation of effectiveness [Drug abuse]
 - of, 581-586
 - programmable calculator, to reporting emergency toxicology data, 573-580
 - solvent inhalation, psychological measures relevant to central nervous system toxicity with specific reference to, 317-324
- Drug abuse therapy, peyote as potential ethnopharmacologic agent for alcoholism and other drug dependencies, 459-472
- Drug analysis, blood cyanide, completely automated fluorometric method, 159-171
- blood lead analysis by flameless atomic absorption spectrophotometry, 237-243
- carbamazepine (Tegretol), rapid determination of as its TMS derivative by isothermal gas chromatography, 443-454
- diphenhydramine and methaqualone, simultaneous identification and quantitation of, 245-255
- ketamine and its metabolites, identification of in biological fluids by gas chromatography-mass spectrometry, 265-275
- neutral drugs, post-mortem direct extraction procedure for analysis of in tissue, 353-358
- programmable calculator, application in reporting emergency data, 573-580
- propoxyphene, post-mortem method for levels in blood liver in propoxyphene-associated deaths, 43-51
- rapid identification of drugs in the overdosed patient, 341-352
- street drug analysis by gas chromatography, 437-442
- Drug Enforcement Administration (DES), 121-123
- Drug interactions, lithium carbo-

[Drug interactions]

- nate and methyldopa, interaction in man, 1-4
- papaverine, interaction with isoproterenol in the vascular system of the dog and intestinal smooth muscle of the rabbit, 427-435
- Dusci, L. J., 341-352, 353-358

E

- Education, the case for having the public schools teach our youngsters how to drink, 473-478
- Elliott, H. W., 517-529
- Emergency toxicology, application of the programmable calculator in reporting emergency data, 573-580
- blood mercury concentration in a patient with acute mercuric cyanide intoxication, 301-308
- fluorimetric blood cyanide method, completely automated, 159-171
- rapid identification of drugs in the overdosed patient, 341-352
- reporting poisonings, an urgent need, 587-589
- Encephalographic changes, in locoweed poisoning in sheep, 53-60
- Estep, D. L., 325-328
- Ethylmercury-p-toluene sulfonamide, poisoning by, 147-148

F

- Flameless atomic absorption spectrophotometry, blood lead analysis by, 237-243
- Fluoridated water, fluoride accumulation in bone and the

[Fluoridated water]

- effect on their physical properties in guinea pigs given different levels of fluoridated water, 329-339
- Fluorometry, automated blood cyanide method, 159-171
- Fochtman, F. W., 287-294
- Food, editorial, 359-369
- Frier, B. M., 13-17
- Fusia, E. P., 287-294
- Futterman, S. L., 459-472

G

- Gas chromatography, carbamazepine (Tegretol) as its TMS derivative, rapid determination of by isothermal gas chromatography, 443-454
- ketamine and its metabolites in biological fluids, identification by, 265-275
- propoxyphene, post-mortem method for levels in blood and liver in propoxyphene-associated deaths, 43-51
- street drug analysis by, 437-442
- Gasoline sniffing, a review, 35-41
- Gastrointestinal absorption, of a chlorinated hydrocarbon pesticide, effectiveness of activated charcoal, mineral oil, and castor oil in limiting absorption, 61-70
- Gault, R., 295-299
- Gaur, J. S., 257-264
- Gay, G. R., 325-328
- Germine, effect of in a case of botulism, 19-25
- Gerstner, H. B., 131-150
- Gouveia, W. A., 581-586
- Graphic arts, organic pigments, properties of, 277-279
- Green, V. A., 237-243
- Greenblatt, D. J., 501-515
- Groff, W. A., 159-171

- Guanidine, effect of in a case of botulism, 19-25
- Guinea pig studies, fluoride accumulation in bone and the effect on their physical properties given at different levels of fluoridated water, 329-339
- Gupta, R. C., 437-442

H

- Hackett, L. P., 341-352, 353-358
- Haley, T. J., 71-82, 489-500, 531-548
- Hames, L. N., 473-478
- Hamon, N. W., 245-255
- Hanenson, I., 309-315
- Hansl, N. R., 427-435
- Hayden, J. W., 549-559
- Hemodialysis, in acute mercuric chloride intoxication, 301-308
- in imipramine poisoning, comparison with charcoal hemoperfusion, 211-219
- Heparin, adsorption on activated charcoal, 569-572
- Heptachlor, human tissue distribution of in Hawaii 1964-1973, 71-82
- Heroin addiction, peyote as potential ethnopharmacologic agent for alcoholism and other drug dependencies, 459-472
- Hindmarsh, K. W., 245-255
- Holz, F., 211-219
- Huff, J. E., 131-150

I

- Imipramine poisoning, lipid hemodialysis versus charcoal hemoperfusion, 211-219
- Inderal, fatality involving, 295-299

- Information service, TOX-TIPS, 375-376
- Inhalation, of benzene, health effects of, 531-548
- gasoline sniffing, a review, 35-41
- psychological measures relevant to central nervous system toxicity with specific reference to solvent inhalation, 317-324
- of synthetic jet lubricating oil, human intoxication following, 423-426
- of toluene, toxicology of; review of current literature, 549-559
- Inorganic mercury compounds, poisoning by, 135-137
- Insecticide poisoning, diazinon poisoning in eight members of related households, 5-11
- Isoproterenol, interaction of with papaverine in the vascular system of the dog and intestinal smooth muscle of the rabbit, 427-435
- Isothermal gas chromatography, rapid determination of carbamazepine (Tegretol) as its TMS derivative by, 443-454

J

- James, L. F., 53-60
- Jaundice, cholestatic, following chlorpropamide poisoning, 13-17

K

- Kaminskis, A., 159-171
- Kelley, E. T., 121-123
- Kepone, editorial, 591
- Ketamine, identification of ketamine and its metabolites in biologic fluids by gas chromatography-mass spectrometry, 265-275
- Khasnabis, S., 295-299

- Klemmer, H. W., 5-11, 71-82,
97-106
Kochhar, M. M., 265-275
Koller, L. D., 107-116
Korsak, R. J., 83-95

L

- Lead, blood lead analysis, 237-
243
Lead poisoning, FEP screening
for, 371-372
in rats, influence of oral peni-
cillamine and diet on, 221-
235
LeGatt, D. F., 245-255
Lehotay, J. M., 43-51
Lensmeyer, G. L., 443-454
Leukemia, enhanced polychlorin-
ated biphenyl lesions in
Moloney leukemia virus-
infected mice, 107-116
Leumann, E. P., 301-308
Lin, L. L., 61-70
Lindane, effectiveness of acti-
vated charcoal, mineral oil,
and castor oil in limiting
gastrointestinal absorption
of, 61-70
Lipid hemodialysis, in imipra-
mine poisoning, comparison
with charcoal hemoperfu-
sion, 211-219
Lithium carbonate, interaction
with methyl dopa in man, 1-4
Liver disease, chronic, drug-
induced extrapyramidal signs
in, 117-120
Locoweed poisoning, in sheep,
electroencephalographic and
brain amine changes in,
53-60
Logan, R., 117-120
Lopez, M., 455-458
Lovejoy, Jr., F. H., 581-586
Lubricating oil, synthetic, human
intoxication following in-

- [Lubricating oil]
halation exposure to, 423-426
Luckens, M. M., 587-589
Lundberg, G. D., 437-442
Lye ingestion, use of diluents
after, 27-34

M

- Mass spectrometry, identification
of ketamine and its metabo-
lites in biological fluids by,
265-275
Mayersohn, M., 561-567
Meprobamate, overdosage of, a
continuing problem, 501-515
Mercuric chloride intoxication,
 β_2 microglobulinuria in, 309-
315
Mercuric cyanide intoxication,
hemodialysis in, 301-308
Mercury poisoning, human, selected
case histories and epidemio-
logic examples, 131-150
Metal intoxication, chromium re-
moval from organs of experi-
mentally poisoned animals,
257-264
Methadone, available in pharmacies,
373-374
Methapyrilene, fatality involving,
281-286
toxicity of, 287-294
Methaqualone, and diphenhydramine,
simultaneous identification and
quantitation of, 245-255
2-Methoxy-3,6-dichlorobenzoic acid,
pharmacokinetic study of a
patient intoxicated with 2,4-D
and Dicamba, 489-500
Methylbenzene, toxicology of; re-
view of current literature,
549-559
Methyl dopa, interaction with lith-
ium carbonate in man, 1-4
Methylmercury poisoning, 137-147
Methylmorphine, actions and metab-

- [Methylmorphine]
 olism of after continuous
 intravenous infusion to hu-
 mans, 517-529
- Michalek, R. W., 43-51
- Microglobulinuria, in a patient
 with nephrotoxicity secondary
 to mercuric chloride inges-
 tion, 309-315
- Millington, W. R., 413-421
- Minamata disease, epidemiology
 of, 143-144
- Mineral oil, effectiveness of in
 limiting gastrointestinal ab-
 sorption of a chlorinated
 hydrocarbon pesticide, 61-
 70
- Möhring, K., 211-219
- Montforte, J. R., 295-299
- Montgomery, M. R., 423-426
- Morgan, D. P., 61-70
- Morphine, as an antipsychotic,
 editorial, 383-386
- Mouse studies, polychlorinated
 biphenyl, enhanced lesions by
 in Moloney leukemia virus-
 infected mice, 107-116
- potentiation of tricyclic anti-
 depressant toxicity by phy-
 sostigmine in mice, 413-421

N

- Neutral drugs, post-mortem,
 direct extraction procedure
 for analysis of in tissue,
 353-358
- Niacin, effects of propranolol
 HCl on discomfiture caused
 by, 325-328
- Noel, B. J., 501-515
- Nomof, N., 517-529

O

- Occupational health, organic pig-
 ments, properties of, 277-279

- [Occupational health]
 Western Occupational Health
 Conference, 483-484
- Olsen, J. D., 53-60
- Organic mercury compounds, poi-
 soning by, 137-147
- Organic pigments, properties of,
 277-279
- Organophosphate insecticides,
 diazinon poisoning in eight
 members of related house-
 holds, 5-11
- Organophosphate pesticides,
 chronic exposure, effects of
 on the central nervous system,
 83-95

P

- Papaverine, interaction with iso-
 proterenol in the vascular
 system of the dog and intes-
 tinal smooth muscle of the
 rabbit, 427-435
- Park, J., 117-120, 403-412
- Parker, K. D., 517-529
- Pascarosa, P., 459-472
- Penicillamine, oral, influence of
 on lead poisoning in rats,
 221-235
- Pentachlorophenol, association
 between renal function tests
 and exposure to, 97-106
- Perrier, D., 561-567
- Pesce, A. J., 309-315
- Pesticide poisoning, diazinon poi-
 soning in eight members of
 related households, 5-11
- Pesticides, chlorinated hydrocar-
 bon pesticides, effectiveness
 of activated charcoal, mineral
 oil, and castor oil in limiting
 gastrointestinal absorption of,
 61-70
- cyclodiene pesticides, human
 tissue distribution in Hawaii
 1964-1973, 71-82

[Pesticides]

- Kepone, editorial, 591
organophosphate pesticide,
effect of chronic exposure
on the central nervous sys-
tem, 83-95
pentachlorophenol, association
between renal function tests
and exposure to, 97-107
Peterson, R. G., 549-559
Peyote, as potential ethnophar-
macologic agent for alcohol-
ism and other drug dependen-
cies, 459-472
Physostigmine, potentiation of
tricyclic antidepressant tox-
icity by in mice, 413-421
Picchioni, A. L., 561-567
Pigments, organic, properties
of, 277-279
Pig studies, chlorinated hydro-
carbon pesticides, effective-
ness of activated charcoal,
mineral oil, and castor oil,
in limiting gastrointestinal
absorption of, 61-70
Pipazethate, acute childhood
poisoning by, 455-458
Poison information center,
evaluation of effectiveness
of, 581-586
Poisoning, of children. See
Children, poisoning
Poisonings, reporting poisonings,
an urgent need, 587-589
Poklis, A., 35-41
Polychlorinated biphenyl, en-
hanced lesions from in Molo-
ney leukemia virus-infected
mice, 107-116
Pottage, A., 117-120
Programmable calculators,
application of in reporting
emergency toxicology data,
573-580
Propoxyphene, post-mortem
method for levels in blood

[Propoxyphene]

- and liver in propoxyphene-
associated deaths, 43-51
Propranolol, fatality involving,
295-299
niacin, effect of on discomfiture
caused by, 325-328
Proudfoot, A. T., 403-412
Public schools, the case for having
the public schools teach our
youngsters how to drink, 473-
478

R

- Rabbit studies, papaverine, inter-
action of with isoproterenol
in intestinal smooth muscle of,
427-435
Rappolt, Sr., R. T., 325-328
Rashad, M. N., 5-11, 97-106
Rat studies, lead poisoning in rats,
influence of oral penicillamine
and diet on, 221-235
Reichert, E. R., 5-11, 97-106
Rejent, T. A., 43-51
Renal function tests, association
between pentachlorophenol
exposure and, 97-106
Rose, J. B., 391-402
Ross, S. M., 413-421
Rumack, B. H., 27-34

S

- Sagotsky, R., 581-586
Samuels, R. W., 573-580
Sato, M. M., 83-95
Schools, the case for having the
public schools teach our
youngsters how to drink, 473-
478
Schüler, H. W., 211-219
Schultz, D., 19-25
Screening tests, application of pro-
grammable calculator in re-
porting emergency toxicology

- [Screening tests]
 data, 573-580
 Selvigon, acute childhood poisoning by, 455-458
 Sethi, K., 309-315
 Seveso, the tragedy lingers on, editorial, 479-482
 Shanor, S. P., 287-294
 Sharma, R. P., 53-60, 329-339
 Sheep, locoweed poisoning in, electroencephalographic and brain amine changes, 53-60
 Shupe, J. L., 329-339
 Siemsen, A. W., 97-106
 Smith, R. G., 221-235
 Sniffing, gasoline sniffing, a review, 35-41
 psychological measures relevant to central nervous system toxicity with specific reference to solvent inhalation, 317-324
 Solvent inhalation, of benzene, health effects of, 531-548
 psychological measures relevant to central nervous system toxicity with specific reference to, 317-324
 toluene, toxicology of; review of current literature, 549-559
 Sorbitol-charcoal mixture, as antidote for oral aspirin overdose, 561-567
 Spartz, M. E., 151-158
 Spectrophotometry, blood lead analysis by flameless atomic absorption spectrophotometry, 237-243
 Steroids, effect of in a case of botulism, 19-25
 Stewart, W. K., 13-17
 Storage containers, blood lead loss in, 237-243
 Street drugs, gas chromatographic analysis of, 437-442
 "Superactive" charcoal, as antidote in poisonings, 387-390
 Sutherland, G. R., 403-412
 Synthetic jet lubricating oil, human intoxication following inhalation exposure to, 423-426
- T
- Takahashi, W., 71-82
 Tandon, S. K., 257-264
 TCDD contamination, in Seveso, editorial, 479-482
 Tegretol, isothermal gas chromatographic method for rapid determination of as its TMS derivative, 443-454
 Thiocyanate, analysis of in whole blood, 195-210
 in vitro production of cyanide in normal human blood, effect of on, 173-193
 Toluene, toxicology of; review of current literature, 549-559
 TOX-TIPS, 375-376
 Trestrail, J. H., 151-158
 Tricyclic antidepressant poisoning, imipramine poisoning, lipid hemodialysis versus charcoal hemoperfusion, 211-219
 ventilation and acid-base changes in deep coma due to, 403-412
 Tricyclic antidepressants, potentiation of toxicity by physostigmine in mice, 413-421
 toxicity of, 391-402
 Trogus, W. J., 287-294
- U
- Unger, B. C., 237-243
 United States Pharmacopeial Convention, 125-127
- V
- Vance, M. A., 413-421

Ventilation, in deep coma due
to barbiturate or antide-
pressant poisoning, 403-
412

Vicario, P., 159-171

W

Western Occupational Health
Conference, 483-484
Wier, G. T., 423-426

Winek, C. L., 287-294

Y

Yauger, W. L., 5-11

Young, J. F., 489-500

Z

Zarlengo, D. G., 427-435

Zieve, F. J., 423-426

